



**FIG. 210**

**Adjustable Clevis Hanger w/ Extended Bottom**

**SERVICE:** For the suspension of insulated, stationary piping services.  
**MATERIAL:** Carbon Steel  
**FINISH:** Black, Electro-Galvanized or Hot-Dip Galvanized  
**STANDARDS:** MSS SP-58 Type 1, FS WW-H-171E Type 1  
**ORDERING:** Specify figure number, pipe size and finish.



PIPE SIZE	A	B	C	E	F	BOLT	WEIGHT EACH, LBS.	MAX. REC. LOAD, LBS.
1/2	3/8	3 <sup>13</sup> / <sub>16</sub>	4 <sup>1</sup> / <sub>4</sub>	3	7 <sup>7</sup> / <sub>16</sub>	1/4	0.30	730
3/4	3/8	3 <sup>3</sup> / <sub>4</sub>	4 <sup>3</sup> / <sub>16</sub>	2 <sup>15</sup> / <sub>16</sub>	7 <sup>7</sup> / <sub>16</sub>	1/4	0.33	730
1	3/8	4 <sup>1</sup> / <sub>8</sub>	4 <sup>3</sup> / <sub>4</sub>	3 <sup>5</sup> / <sub>16</sub>	5 <sup>5</sup> / <sub>8</sub>	1/4	0.34	730
1 <sup>1</sup> / <sub>4</sub>	3/8	4 <sup>7</sup> / <sub>16</sub>	5 <sup>1</sup> / <sub>4</sub>	3 <sup>5</sup> / <sub>8</sub>	7 <sup>7</sup> / <sub>8</sub>	1/4	0.39	730
1 <sup>1</sup> / <sub>2</sub>	3/8	4 <sup>3</sup> / <sub>4</sub>	5 <sup>3</sup> / <sub>4</sub>	3 <sup>15</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>16</sub>	1/4	0.47	730
2	3/8	7 <sup>1</sup> / <sub>4</sub>	8 <sup>7</sup> / <sub>16</sub>	6 <sup>7</sup> / <sub>16</sub>	1 <sup>1</sup> / <sub>4</sub>	1/4	0.65	730
2 <sup>1</sup> / <sub>2</sub>	1/2	8 <sup>13</sup> / <sub>16</sub>	10 <sup>3</sup> / <sub>16</sub>	7 <sup>3</sup> / <sub>4</sub>	1 <sup>15</sup> / <sub>16</sub>	5 <sup>5</sup> / <sub>16</sub>	1.24	1130
3	1/2	9	10 <sup>3</sup> / <sub>4</sub>	7 <sup>15</sup> / <sub>16</sub>	1 <sup>3</sup> / <sub>4</sub>	5 <sup>5</sup> / <sub>16</sub>	1.34	1130
4	5/8	10 <sup>1</sup> / <sub>8</sub>	12 <sup>3</sup> / <sub>8</sub>	8 <sup>13</sup> / <sub>16</sub>	2 <sup>1</sup> / <sub>8</sub>	3/8	1.92	1430
5	5/8	9 <sup>7</sup> / <sub>8</sub>	12 <sup>9</sup> / <sub>16</sub>	8 <sup>7</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>16</sub>	1/2	2.58	1430
6	3/4	10 <sup>7</sup> / <sub>8</sub>	14 <sup>1</sup> / <sub>8</sub>	9 <sup>1</sup> / <sub>4</sub>	1 <sup>3</sup> / <sub>4</sub>	1/2	3.36	1940
8	3/4	12 <sup>1</sup> / <sub>4</sub>	16 <sup>9</sup> / <sub>16</sub>	10 <sup>7</sup> / <sub>16</sub>	1 <sup>7</sup> / <sub>8</sub>	5/8	5.08	2000
10	7/8	14 <sup>1</sup> / <sub>2</sub>	19 <sup>7</sup> / <sub>8</sub>	12 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>4</sub>	3/4	9.08	3600
12	7/8	15 <sup>7</sup> / <sub>8</sub>	22 <sup>1</sup> / <sub>4</sub>	13 <sup>7</sup> / <sub>8</sub>	2 <sup>13</sup> / <sub>16</sub>	3/4	11.54	3800

